



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/829,376	04/22/2004	Elisabetta Carrea	003-130	7097
36844	7590	02/08/2006	EXAMINER	
CERMAK & KENEALY LLP			RODRIGUEZ, WILLIAM H	
515 E. BRADDOCK RD			ART UNIT	
ALEXANDRIA, VA 22314			PAPER NUMBER	

3746

DATE MAILED: 02/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/829,376

Applicant(s)

CARREA ET AL.

Examiner

William H. Rodriguez

Art Unit

3746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-42 is/are pending in the application.
- 4a) Of the above claim(s) 4-7,9-19,23-26 and 28-40 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,8,20-22,27,41 and 42 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

This office action is in response to the amendment and remarks filed 12/1/05. Since the examiner has applied new grounds of rejection, this office action is being made non-final to afford the applicant the opportunity to respond to the new grounds of rejection.

Claim Rejections - 35 USC § 101

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. Claims 1-3, 8, 20-22, 27, 41 and 42 are rejected under 35 U.S.C. 101 because the claimed invention is not supported by either a credible asserted utility or a well established utility.

Applicant states that studies have indicated that achieving a non-visible flame with re-circulation rates ranges from 100% to 200% would not be possible (page 11 last line to page 12 the first two lines of the response filed 11/2/05). Nevertheless, applicant claims this unaccomplishable task as his invention in claims 1 and 20, "a non-visible flame with re-circulation rates ranges from 100% to 200%". Since a non-visible flame with re-circulation rates ranges from 100% to 200% is not possible (as clearly stated by applicant), then the invention is inoperative and therefore lacks any utility. Further, if all the combustion gases (100% of flue gas) generated in the combustor are re-circulated. Then, how will the turbine work if there is no working fluid send to the turbine since 100% of it was re-circulated?. Also, how would you re-circulate 200% of something when you only have 100% of that?. The subject matter being

Art Unit: 3746

claimed (as written) does not make any sense at all. Appropriate correction and clarification as to what applicant is trying to claim as the invention is requested.

How can you obtain a non-visible flame with re-circulation rates ranges from 100% to 200%?, when studies have shown that it is just not possible.

How can the turbine work if it is not receiving any working fluid, since all of it (100-200%) is being re-circulated?

How can you re-circulate 200% of something “flue gas” when you only have 100% of that?

The specification fails to enable one of ordinary skill in the art how to make and use the invention. The specification does not teach how one of ordinary skill in the art would obtain a non-visible flame with re-circulation rates ranges from 100% to 200%. What are the steps to follow to obtain this, under what conditions one would be able to obtain this, if possible?.

Claims 1-3, 8, 20-22, 27, 41 and 42 are also rejected under 35 U.S.C. 112, first paragraph. Specifically, since the claimed invention is not supported by either a credible asserted utility or a well established utility for the reasons set forth above, one skilled in the art clearly would not know how to use the claimed invention.

A prior art search has been attempted to the Examiner's best understanding of the invention. However, due to the deficiencies of the claims and the specification a full and complete application of the prior art to the claims was not possible. Lack of an art rejection should not be construed as an indication of allowable subject matter.


Art Unit: 3746

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Rodriguez whose telephone number is 571-272-4831. The examiner can normally be reached on Monday-Friday 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy S. Thorpe can be reached on 571-272-4444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

 2/3/06
William H. Rodriguez
Primary Examiner
Art Unit 3746